

Gas Act 2000
Gas (Safety) Regulations 2002

APPLICATION FOR ACCEPTANCE
TBA006
Type B Gas Appliance

I.....Title/Position.....
(Given names) (Family name)

employed by/acting on behalf ofABN:.....
(Partnership/Company/Trust)

Address.....Postcode:.....

do solemnly and sincerely state that the Type B gas appliance to be commissioned at:

Company/Business:.....ABN:.....

Address:.....Postcode:.....

Appliance Type:.....Serial(if applicable)

is designed in compliance with the requirements of the following standards:

- AS 5601 Gas Installations; and**
- AS 3814 Industrial and Commercial Gas-fired Appliances; and**
- AS 1375 Industrial Fuel-fired Appliances Code; or**
- Other standard (please nominate).....**

and the information submitted for acceptance is in accordance with SCHEDULE 1 of the Gas (Safety) Regulations 2002.

I make this solemn declaration under the *Oaths Act 2001*.

Declared at:.....
(place)

on:.....
(date)

Before me

Signature:.....
(Justice, Commissioner for Declarations or authorised person)

Please forward this application to:

Workplace Standards Tasmania, Gas Standards & Safety

Hobart:	30 Gordons Hill Road, PO Box 56 Rosny Park 7018	Fax No.: 6233 8338
Launceston:	Henty House, 1 Civic Square, Launceston 7250	Fax No.: 6334 4543
Burnie:	Reece House, 46 Mount Street, PO Box 287 Burnie 7320	Fax No.: 6431 1606

**Information pursuant to SCHEDULE 1 of the Gas (Safety) Regulations 2002 and
AS 3814 APPENDIX A**

(Please attach additional information as required)

Manufacturers Name
and address

.....

.....

Model

.....

Serial Number

.....

Gas Type

.....

Manufacture Date

.....

Number of burners and type

.....

.....

Nominal gas consumption
for total appliance
and for each main burner

Each

.....MJ/hr

Total

.....MJ/hr

Burner head pressure

Nominal

.....kPa

Gas supply pressure

.....kPa

Min

.....kPa

Gas consumption at ignition
for each burner

.....MJ/hr

Air flow rate at ignition for
each burner

.....M³/hr

Air flow rate during
during purge
periods

.....

Volume of each combustion
chamber

.....M³

The purge volume, being the total
volume swept from the entry
of the purge medium to the point
of emission including
interconnecting duct work

.....M³/hr

Details and method of operation
of any combustion air or flue
dampers

.....

Explosion relief area and dilution air flow rate (where relevant).
If the appliance process involves solvents or dusts, and where
required by AS 3814, provide details of, and calculations
for, explosion relief area and dilution air flow rates

Details of flueing and ventilation

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

